



TOPIC: General Zoonotic Disease Prevention in Poultry Operations

OVERVIEW: A disease that can be transmitted between humans and animals is called zoonosis. While it is rare to become infected with a zoonotic disease, it is important that employees are trained to prevent, recognize and report zoonotic diseases. This includes what to do if either an employee or poultry show signs or symptoms, how to report potential zoonotic diseases and steps that employees can take to prevent transmission of zoonotic diseases. In this tailgate, we will talk about important steps to prevent zoonotic disease.

TALKING POINTS:

- Know and understand the signs and symptoms of zoonotic diseases in humans and poultry.
- Washing your hands is one of the most important precautions against zoonotic infections.
- Make sure that you wash your hands thoroughly with soap and water for at least 15 to 20 seconds.
- You should not eat, drink or smoke while handling birds or while working in areas where birds are housed or where bird waste or body products are being handled. Before engaging in any of these activities (eating, drinking or smoking), including using the restroom facilities, you should wash your hands thoroughly.
- Avoid touching your face, eyes and mouth while you are working around poultry.
- Wear gloves when handling poultry, or when performing activities where you may come into contact with bird feces or eggs, body tissue, blood, nasal discharge or fluids draining from a wound.

- Gloves should be properly discarded after use. Always wash your hands after removing gloves.
- If you come into contact with feces or other body fluids while handling poultry, wash your hands and other exposed body parts thoroughly.
- Report any potential zoonotic diseases (either in you or the poultry) immediately to your supervisor.

REVIEW QUESTIONS:

1. True or False: Washing your hands is one of the most important precautions against zoonotic infections. (Answer: True)
2. What should you do if you believe you or poultry have a potential zoonotic disease? (Answer: Report to supervisor or owner)
3. True or False: It is o.k. to eat, drink or smoke while handling poultry. (Answer: False: You should not eat, drink or smoke while handling poultry.)
4. What should be worn when handling bird feces, eggs or body fluids? (Answer: Gloves)

This Tailgate Topic is part of Zenith Insurance Company’s on-going service commitment to our policyholders and appointed independent agents.

Zenith Insurance Company (Zenith) assists employers in evaluating workplace safety exposures. Surveys and related services may not reveal every hazard, exposure and/or violation of safety practices. Inspections by Zenith do not result in any warranty that the workplace, operations, machinery, appliances or equipment are safe or in compliance with applicable regulations. Any recommendations and related services are not and should not be construed as legal advice or be used as a substitute for legal advice. Employee protection is ultimately the responsibility of the employer. Policy coverage is not contingent upon the provision, efficacy or sufficiency of these services.

TT-AG027 (12/11)

Zenith Insurance Company/ZNAT Insurance Company Corporate Office:

© 2011 Zenith Insurance Company 21255 Califa Street Woodland Hills, CA 91367 Telephone 818-713-1000 www.TheZenith.com
Zenith and TheZenith are registered US service marks